Cancer Mortality by Cause

5.1 Men and Women Combined

5.1.1 Five-year Cancer Mortality

Table 5.1: Average annual age-adjusted cancer mortality rate by cause of death, men and women, 2014–2018.

| | Alaska Native People | | | US W | | |
|--------------------------------|----------------------|-------|----------------|-------|----------------|-----|
| | Count | Rate | 95% CI | Rate | 95% CI | RF |
| All malignant cancers | 913 | 211.6 | (197.2, 226.9) | 156.3 | (156.1, 156.5) | 1. |
| Lung and Bronchus | 218 | 50.8 | (43.9, 58.7) | 39.3 | (39.2, 39.4) | 1. |
| Colon and Rectum | 149 | 37.4 | (31.3, 44.5) | 13.4 | (13.3, 13.5) | 2. |
| Breast (women) | 56 | 23.5 | (17.5, 31.1) | 19.6 | (19.5, 19.7) | 1. |
| Prostate (men) | 20 | 16.4 | (9.7, 26.2) | 17.9 | (17.8, 18.0) | 0. |
| Stomach | 57 | 11.8 | (8.8, 15.7) | 2.6 | (2.6, 2.6) | 4 |
| Pancreas | 52 | 11.6 | (8.5, 15.7) | 11.0 | (10.9, 11.0) | 1 |
| Esophagus | 33 | 6.6 | (4.4, 9.8) | 4.1 | (4.1, 4.2) | 1. |
| Liver | 26 | 5.5 | (3.5, 8.5) | 4.5 | (4.5, 4.6) | 1. |
| Kidney and Renal Pelvis | 23 | 4.8 | (2.9, 7.5) | 3.8 | (3.7, 3.8) | 1. |
| Urinary Bladder | 16 | 4.2 | (2.3, 7.2) | 4.5 | (4.5, 4.6) | 0. |
| Ovary (women) | 11 | 4.0 | (2.0, 7.8) | 6.9 | (6.9, 7.0) | 0. |
| Brain and Other Nervous System | 18 | 3.6 | (2.1, 6.2) | 4.8 | (4.8, 4.9) | 0. |
| Non-Hodgkin Lymphoma | 14 | 3.3 | (1.7, 6.0) | 5.6 | (5.6, 5.7) | 0. |
| Nasopharynx | 14 | 2.9 | (1.5, 5.3) | 0.1 | (0.1, 0.1) | 29. |
| Intrahepatic Bile Duct | 12 | 2.6 | (1.2, 5.0) | 1.7 | (1.7, 1.7) | 1. |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

5.1.2 Twenty-five-year Cancer Mortality

Table 5.2: Average annual age-adjusted cancer mortality rate by cause of death, men and women, 1994–2018.

| | Alaska Native People | | | US W | | |
|--------------------------------|----------------------|-------|----------------|-------|----------------|------|
| | Count | Rate | 95% CI | Rate | 95% CI | RR |
| All malignant cancers | 3,880 | 237.8 | (229.8, 245.9) | 178.5 | (178.4, 178.6) | 1.3 |
| Lung and Bronchus | 1,058 | 66.3 | (62.2, 70.8) | 49.3 | (49.3, 49.4) | 1.3 |
| Colon and Rectum | 550 | 35.9 | (32.7, 39.3) | 16.8 | (16.8, 16.9) | 2.1 |
| Breast (women) | 236 | 24.6 | (21.4, 28.2) | 23.3 | (23.2, 23.3) | 1.1 |
| Prostate (men) | 90 | 18.4 | (14.5, 23.1) | 23.0 | (23.0, 23.1) | 0.8 |
| Stomach | 260 | 14.0 | (12.3, 16.0) | 3.3 | (3.3, 3.4) | 4.2 |
| Pancreas | 223 | 13.2 | (11.4, 15.2) | 10.6 | (10.6, 10.7) | 1.2 |
| Kidney and Renal Pelvis | 113 | 7.3 | (6.0, 8.9) | 4.1 | (4.1, 4.1) | 1.8 |
| Esophagus | 115 | 6.8 | (5.6, 8.4) | 4.2 | (4.2, 4.2) | 1.6 |
| Ovary (women) | 60 | 6.1 | (4.6, 7.9) | 8.3 | (8.3, 8.4) | 0.7 |
| Liver | 103 | 6.0 | (4.8, 7.4) | 3.9 | (3.9, 3.9) | 1.5 |
| Non-Hodgkin Lymphoma | 69 | 4.4 | (3.3, 5.7) | 7.1 | (7.1, 7.1) | 0.6 |
| Urinary Bladder | 47 | 3.5 | (2.5, 4.8) | 4.6 | (4.5, 4.6) | 0.8 |
| Nasopharynx | 57 | 3.4 | (2.5, 4.6) | 0.2 | (0.2, 0.2) | 17.0 |
| Cervix Uteri (women) | 35 | 3.3 | (2.2, 4.7) | 2.3 | (2.3, 2.3) | 1.4 |
| Myeloma | 44 | 2.5 | (1.8, 3.5) | 3.3 | (3.2, 3.3) | 0.8 |
| Intrahepatic Bile Duct | 38 | 2.4 | (1.6, 3.4) | 1.3 | (1.3, 1.3) | 1.8 |
| Brain and Other Nervous System | 46 | 2.1 | (1.5, 2.9) | 4.8 | (4.8, 4.8) | 0.4 |
| Acute Myeloid Leukemia | 40 | 1.8 | (1.2, 2.6) | 2.8 | (2.8, 2.8) | 0.6 |
| Uterus, NOS (women) | 13 | 1.5 | (0.8, 2.6) | 2.1 | (2.1, 2.1) | 0.7 |
| Gallbladder | 21 | 1.4 | (0.8, 2.2) | 0.6 | (0.6, 0.6) | 2.3 |
| Other Digestive Organs | 19 | 1.3 | (0.7, 2.1) | 0.3 | (0.3, 0.3) | 4.3 |
| Other Oral Cavity and Pharynx | 20 | 1.2 | (0.7, 2.0) | 0.5 | (0.5, 0.5) | 2.4 |
| Larynx | 16 | 1.0 | (0.6, 1.8) | 1.1 | (1.1, 1.1) | 0.9 |
| Soft Tissue including Heart | 18 | 0.9 | (0.5, 1.5) | 1.3 | (1.3, 1.3) | 0.7 |
| Aleukemic, subleukemic and NOS | 16 | 0.9 | (0.5, 1.6) | 1.0 | (1.0, 1.0) | 0.9 |
| Gum and Other Mouth | 11 | 0.7 | (0.3, 1.3) | 0.4 | (0.4, 0.4) | 1.8 |
| Melanoma of the Skin | 12 | 0.7 | (0.3, 1.3) | 3.0 | (3.0, 3.0) | 0.2 |
| Other Biliary | 10 | 0.6 | (0.3, 1.3) | 0.5 | (0.5, 0.5) | 1.2 |
| Non-Melanoma Skin | 10 | 0.6 | (0.3, 1.2) | 1.0 | (1.0, 1.0) | 0.6 |
| Acute Lymphocytic Leukemia | 14 | 0.5 | (0.3, 1.0) | 0.5 | (0.5, 0.5) | 1.0 |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25- $\,$ 1130) standard.

5.2 Men Only

5.2.1 Five-year Cancer Mortality

Table 5.3: Average annual age-adjusted cancer mortality rate by cause of death, men, 2014-2018.

| | Alas | ka Nativ | e People | US W | | |
|-------------------------|-------|----------|----------------|-------|----------------|------|
| | Count | Rate | 95% CI | Rate | 95% CI | RR |
| All malignant cancers | 469 | 243.4 | (219.5, 269.7) | 185.9 | (185.6, 186.2) | 1.3 |
| Lung and Bronchus | 115 | 58.4 | (47.4, 71.9) | 47.1 | (46.9, 47.2) | 1.2 |
| Colon and Rectum | 70 | 38.1 | (28.8, 50.1) | 15.9 | (15.8, 16.0) | 2.4 |
| Stomach | 39 | 17.8 | (12.2, 25.8) | 3.5 | (3.4, 3.5) | 5.1 |
| Prostate (men) | 20 | 16.4 | (9.7, 26.2) | 0.2 | (0.2, 0.2) | 82.0 |
| Pancreas | 28 | 13.2 | (8.4, 20.7) | 12.8 | (12.7, 12.8) | 1.0 |
| Esophagus | 23 | 10.5 | (6.2, 17.5) | 7.4 | (7.3, 7.4) | 1.4 |
| Kidney and Renal Pelvis | 15 | 7.0 | (3.7, 13.2) | 0.4 | (0.4, 0.4) | 17.5 |
| Urinary Bladder | 10 | 6.0 | (2.5, 12.5) | 0.3 | (0.3, 0.3) | 20.0 |
| Liver | 14 | 5.7 | (3.0, 11.1) | 7.1 | (7.0, 7.2) | 0.8 |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups -Census P25-1130) standard.

5.2.2 Twenty-five-year Cancer Mortality

Table 5.4: Average annual age-adjusted cancer mortality rate by cause of death, men, 1994-2018.

| | Alaska Native People | | | US W | | |
|--------------------------------|----------------------|-------|----------------|-------|----------------|------|
| | Count | Rate | 95% CI | Rate | 95% CI | RR |
| All malignant cancers | 2,026 | 279.3 | (265.9, 293.4) | 217.5 | (217.3, 217.6) | 1.3 |
| Lung and Bronchus | 611 | 84.5 | (77.4, 92.4) | 63.5 | (63.4, 63.6) | 1.3 |
| Colon and Rectum | 269 | 38.8 | (33.8, 44.5) | 20.1 | (20.1, 20.2) | 1.9 |
| Stomach | 161 | 18.9 | (15.8, 22.6) | 4.6 | (4.6, 4.6) | 4.1 |
| Prostate (men) | 90 | 18.4 | (14.5, 23.1) | 23.0 | (23.0, 23.1) | 0.8 |
| Pancreas | 119 | 15.5 | (12.6, 19.1) | 12.4 | (12.3, 12.4) | 1.2 |
| Esophagus | 79 | 10.3 | (7.9, 13.4) | 7.5 | (7.5, 7.6) | 1.4 |
| Kidney and Renal Pelvis | 70 | 10.2 | (7.7, 13.3) | 5.9 | (5.9, 5.9) | 1.7 |
| Liver | 64 | 8.1 | (6.0, 10.9) | 6.1 | (6.1, 6.1) | 1.3 |
| Urinary Bladder | 31 | 5.4 | (3.5, 8.1) | 8.0 | (8.0, 8.0) | 0.7 |
| Nasopharynx | 38 | 5.1 | (3.5, 7.4) | 0.2 | (0.2, 0.2) | 25.5 |
| Non-Hodgkin Lymphoma | 38 | 5.1 | (3.4, 7.5) | 9.0 | (9.0, 9.0) | 0.6 |
| Myeloma | 18 | 2.7 | (1.5, 4.8) | 4.2 | (4.1, 4.2) | 0.6 |
| Brain and Other Nervous System | 26 | 2.6 | (1.6, 4.4) | 5.8 | (5.8, 5.9) | 0.4 |
| Acute Myeloid Leukemia | 26 | 2.5 | (1.5, 4.2) | 3.6 | (3.6, 3.7) | 0.7 |
| Intrahepatic Bile Duct | 16 | 2.4 | (1.3, 4.3) | 1.5 | (1.5, 1.5) | 1.6 |
| Larynx | 16 | 2.3 | (1.2, 4.3) | 2.0 | (2.0, 2.0) | 1.1 |
| Other Oral Cavity and Pharynx | 16 | 2.0 | (1.1, 3.7) | 0.8 | (0.8, 0.8) | 2.5 |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-

5.3 Women Only

5.3.1 Five-year Cancer Mortality

Table 5.5: Average annual age-adjusted cancer mortality rate by cause of death, women, 2014-2018.

| | Alas | ka Nativ | e People | US W | | |
|-----------------------|-------|----------|----------------|-------|----------------|-----|
| | Count | Rate | 95% CI | Rate | 95% CI | RR |
| All malignant cancers | 444 | 187.9 | (170.1, 207.3) | 134.3 | (134.0, 134.5) | 1.4 |
| Lung and Bronchus | 103 | 44.2 | (35.8, 54.2) | 33.3 | (33.2, 33.4) | 1.3 |
| Colon and Rectum | 79 | 36.6 | (28.7, 46.1) | 11.3 | (11.2, 11.4) | 3.2 |
| Breast (women) | 56 | 23.5 | (17.5, 31.1) | 19.6 | (19.5, 19.7) | 1.2 |
| Pancreas | 24 | 10.2 | (6.3, 15.6) | 9.5 | (9.4, 9.5) | 1.1 |
| Stomach | 18 | 6.6 | (3.9, 10.9) | 1.9 | (1.9, 1.9) | 3.5 |
| Liver | 12 | 5.0 | (2.4, 9.2) | 2.3 | (2.3, 2.3) | 2.2 |
| Ovary (women) | 11 | 4.0 | (2.0, 7.8) | 6.9 | (6.9, 7.0) | 0.6 |
| Esophagus | 10 | 3.5 | (1.6, 7.0) | 1.4 | (1.4, 1.5) | 2.5 |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

5.3.2 Twenty-five-year Cancer Mortality

Table 5.6: Average annual age-adjusted cancer mortality rate by cause of death, women, 1994-2018.

| | Alaska Native People | | | US W | | |
|--------------------------------|----------------------|-------|----------------|-------|----------------|------|
| | Count | Rate | 95% CI | Rate | 95% CI | RR |
| All malignant cancers | 1,854 | 207.1 | (197.4, 217.2) | 151.5 | (151.4, 151.7) | 1.4 |
| Lung and Bronchus | 447 | 51.8 | (46.9, 57.0) | 38.7 | (38.7, 38.8) | 1.3 |
| Colon and Rectum | 281 | 33.6 | (29.6, 38.0) | 14.2 | (14.2, 14.3) | 2.4 |
| Breast (women) | 236 | 24.6 | (21.4, 28.2) | 23.3 | (23.2, 23.3) | 1.1 |
| Pancreas | 104 | 11.3 | (9.2, 13.9) | 9.2 | (9.2, 9.3) | 1.2 |
| Stomach | 99 | 10.0 | (8.1, 12.4) | 2.4 | (2.4, 2.4) | 4.2 |
| Ovary (women) | 60 | 6.1 | (4.6, 7.9) | 8.3 | (8.3, 8.4) | 0.7 |
| Kidney and Renal Pelvis | 43 | 5.1 | (3.6, 7.0) | 2.6 | (2.6, 2.7) | 2.0 |
| Liver | 39 | 4.2 | (2.9, 5.9) | 2.1 | (2.0, 2.1) | 2.0 |
| Esophagus | 36 | 4.1 | (2.8, 5.8) | 1.6 | (1.5, 1.6) | 2.6 |
| Non-Hodgkin Lymphoma | 31 | 3.7 | (2.5, 5.4) | 5.7 | (5.7, 5.7) | 0.6 |
| Cervix Uteri (women) | 35 | 3.3 | (2.2, 4.7) | 2.3 | (2.3, 2.3) | 1.4 |
| Myeloma | 26 | 2.6 | (1.6, 3.9) | 2.6 | (2.6, 2.6) | 1.0 |
| Intrahepatic Bile Duct | 22 | 2.4 | (1.5, 3.8) | 1.1 | (1.1, 1.1) | 2.2 |
| Nasopharynx | 19 | 2.1 | (1.2, 3.4) | 0.1 | (0.1, 0.1) | 21.0 |
| Urinary Bladder | 16 | 2.1 | (1.2, 3.5) | 2.2 | (2.2, 2.2) | 1.0 |
| Brain and Other Nervous System | 20 | 1.7 | (1.0, 2.7) | 3.9 | (3.9, 3.9) | 0.4 |
| Other Digestive Organs | 13 | 1.5 | (0.8, 2.7) | 0.2 | (0.2, 0.2) | 7.5 |
| Uterus, NOS (women) | 13 | 1.5 | (0.8, 2.6) | 2.1 | (2.1, 2.1) | 0.7 |
| Gallbladder | 12 | 1.3 | (0.6, 2.4) | 0.8 | (0.8, 0.8) | 1.6 |
| Acute Myeloid Leukemia | 14 | 1.2 | (0.6, 2.2) | 2.2 | (2.2, 2.2) | 0.5 |

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.