

# 7

## Regional Information

### 7.1 Trends




Figure 7.1: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Aleutians and Pribilofs Tribal Health Region, 1994–2018.

Table 7.1: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Aleutians and Pribilofs Tribal Health Region, 1994–2018.

	Aleutians and Pribilofs			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	48	630.2	(443.2, 869.3)	493.7	(465.2, 523.5)	1.3
1999-2003	47	590.3	(420.6, 805.8)	516.8	(489.9, 544.8)	1.1
2004-2008	46	589.6	(422.8, 800.3)	506.6	(482.1, 531.9)	1.2
2009-2013	46	522.9	(374.7, 710.3)	513.5	(490.6, 537.3)	1.0
2014-2018	51	493.4	(361.4, 657.7)	497.6	(476.7, 519.2)	1.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.2: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Anchorage and Mat-Su Tribal Health Region, 1994–2018.

Table 7.2: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Anchorage and Mat-Su Tribal Health Region, 1994–2018.

	Anchorage and Mat-Su			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	299	550.8	(479.9, 629.3)	493.7	(465.2, 523.5)	1.1
1999-2003	399	570.3	(506.7, 639.6)	516.8	(489.9, 544.8)	1.1
2004-2008	501	554.0	(500.1, 612.2)	506.6	(482.1, 531.9)	1.1
2009-2013	632	556.6	(508.7, 607.8)	513.5	(490.6, 537.3)	1.1
2014-2018	767	573.7	(529.6, 620.6)	497.6	(476.7, 519.2)	1.2

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.3: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Arctic Slope Tribal Health Region, 1994–2018.

Table 7.3: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Arctic Slope Tribal Health Region, 1994–2018.

	Arctic Slope			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	57	483.8	(356.6, 641.5)	493.7	(465.2, 523.5)	1.0
1999-2003	85	583.0	(457.2, 732.8)	516.8	(489.9, 544.8)	1.1
2004-2008	88	612.9	(482.6, 767.7)	506.6	(482.1, 531.9)	1.2
2009-2013	102	594.4	(476.1, 733.1)	513.5	(490.6, 537.3)	1.2
2014-2018	112	590.2	(480.8, 717.1)	497.6	(476.7, 519.2)	1.2

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.4: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Bristol Bay Tribal Health Region, 1994–2018.

Table 7.4: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Bristol Bay Tribal Health Region, 1994–2018.

	Bristol Bay			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	66	447.6	(339.4, 579.5)	493.7	(465.2, 523.5)	0.9
1999-2003	81	478.3	(374.9, 601.4)	516.8	(489.9, 544.8)	0.9
2004-2008	73	390.4	(302.6, 495.7)	506.6	(482.1, 531.9)	0.8
2009-2013	103	486.9	(392.7, 596.9)	513.5	(490.6, 537.3)	0.9
2014-2018	97	436.4	(349.6, 538.2)	497.6	(476.7, 519.2)	0.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.5: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Copper River and Prince William Sound Tribal Health Region, 1994–2018.

Table 7.5: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Copper River and Prince William Sound Tribal Health Region, 1994–2018.

	Copper River and Prince William Sound			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	25	547.8	(346.6, 823.4)	493.7	(465.2, 523.5)	1.1
1999-2003	38	742.3	(515.0, 1,035.6)	516.8	(489.9, 544.8)	1.4
2004-2008	35	596.9	(401.2, 854.6)	506.6	(482.1, 531.9)	1.2
2009-2013	37	620.8	(427.2, 872.0)	513.5	(490.6, 537.3)	1.2
2014-2018	28	401.8	(257.5, 597.8)	497.6	(476.7, 519.2)	0.8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.6: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Interior Tribal Health Region, 1994–2018.

Table 7.6: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Interior Tribal Health Region, 1994–2018.

	Interior			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	161	488.2	(411.8, 574.7)	493.7	(465.2, 523.5)	1.0
1999-2003	194	511.6	(437.6, 594.5)	516.8	(489.9, 544.8)	1.0
2004-2008	260	584.5	(511.1, 665.5)	506.6	(482.1, 531.9)	1.2
2009-2013	295	556.4	(491.2, 627.8)	513.5	(490.6, 537.3)	1.1
2014-2018	338	568.8	(506.9, 636.2)	497.6	(476.7, 519.2)	1.1

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.7: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Kenai Peninsula Tribal Health Region, 1994–2018.

Table 7.7: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Kenai Peninsula Tribal Health Region, 1994–2018.

	Kenai Peninsula			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	62	665.5	(494.8, 876.1)	493.7	(465.2, 523.5)	1.3
1999-2003	71	606.0	(455.4, 790.5)	516.8	(489.9, 544.8)	1.2
2004-2008	95	643.2	(503.9, 809.2)	506.6	(482.1, 531.9)	1.3
2009-2013	90	580.2	(448.1, 739.1)	513.5	(490.6, 537.3)	1.1
2014-2018	103	425.1	(336.9, 529.2)	497.6	(476.7, 519.2)	0.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.8: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Kodiak Area Tribal Health Region, 1994–2018.

Table 7.8: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Kodiak Area Tribal Health Region, 1994–2018.

	Kodiak Area			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	40	677.0	(467.0, 949.2)	493.7	(465.2, 523.5)	1.4
1999-2003	44	663.6	(468.6, 912.5)	516.8	(489.9, 544.8)	1.3
2004-2008	36	472.9	(323.1, 668.2)	506.6	(482.1, 531.9)	0.9
2009-2013	53	626.2	(464.1, 826.6)	513.5	(490.6, 537.3)	1.2
2014-2018	47	536.4	(389.1, 721.2)	497.6	(476.7, 519.2)	1.1

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.9: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Northwest Arctic Tribal Health Region, 1994–2018.

Table 7.9: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Northwest Arctic Tribal Health Region, 1994–2018.

	Northwest Arctic			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	57	413.8	(306.8, 546.0)	493.7	(465.2, 523.5)	0.8
1999-2003	64	407.2	(307.7, 528.5)	516.8	(489.9, 544.8)	0.8
2004-2008	82	419.6	(330.9, 524.9)	506.6	(482.1, 531.9)	0.8
2009-2013	90	424.3	(338.6, 525.1)	513.5	(490.6, 537.3)	0.8
2014-2018	98	434.8	(350.9, 532.8)	497.6	(476.7, 519.2)	0.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.10: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Norton Sound Tribal Health Region, 1994–2018.

Table 7.10: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Norton Sound Tribal Health Region, 1994–2018.

	Norton Sound			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	103	505.9	(409.5, 618.2)	493.7	(465.2, 523.5)	1.0
1999-2003	105	502.8	(408.8, 611.9)	516.8	(489.9, 544.8)	1.0
2004-2008	104	432.3	(350.4, 527.6)	506.6	(482.1, 531.9)	0.9
2009-2013	126	493.8	(405.9, 595.1)	513.5	(490.6, 537.3)	1.0
2014-2018	141	531.9	(439.2, 638.4)	497.6	(476.7, 519.2)	1.1

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.II: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Southeast Tribal Health Region, 1994–2018.

Table 7.II: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Southeast Tribal Health Region, 1994–2018.

	Southeast			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	213	481.5	(415.1, 555.5)	493.7	(465.2, 523.5)	1.0
1999-2003	258	512.4	(449.1, 582.1)	516.8	(489.9, 544.8)	1.0
2004-2008	280	484.6	(427.5, 547.1)	506.6	(482.1, 531.9)	1.0
2009-2013	331	509.5	(453.9, 570.0)	513.5	(490.6, 537.3)	1.0
2014-2018	361	502.8	(450.7, 559.3)	497.6	(476.7, 519.2)	1.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.12: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Yukon-Kuskokwim Tribal Health Region, 1994–2018.

Table 7.12: Comparison of trends in average annual age-adjusted cancer incidence for all sites in the Yukon-Kuskokwim Tribal Health Region, 1994–2018.

	Yukon-Kuskokwim			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
1994-1998	181	397.8	(338.4, 464.6)	493.7	(465.2, 523.5)	0.8
1999-2003	205	407.5	(350.2, 471.5)	516.8	(489.9, 544.8)	0.8
2004-2008	250	434.3	(378.3, 496.2)	506.6	(482.1, 531.9)	0.9
2009-2013	264	407.0	(355.8, 463.6)	513.5	(490.6, 537.3)	0.8
2014-2018	258	352.9	(307.4, 403.3)	497.6	(476.7, 519.2)	0.7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.

7.2 Fifteen-year Incidence




Figure 7.13: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Aleutians and Pribilofs Tribal Health Region, men and women, 2004–2018.

Table 7.13: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Aleutians and Pribilofs Tribal Health Region, men and women, 2004–2018.

	Aleutians and Pribilofs			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>143</b>	<b>526.3</b>	<b>(440.7, 623.7)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.0</b>
Breast (women)	20	165.9	(99.7, 259.5)	135.4	(126.8, 144.5)	1.2
Lung and Bronchus	30	107.5	(71.6, 154.9)	89.7	(84.0, 95.7)	1.2
Colon and Rectum	17	63.3	(36.3, 102.5)	88.9	(83.4, 94.7)	0.7
Prostate (men)	8	57.6	(23.8, 117.0)	63.0	(55.9, 70.7)	0.9
Kidney and Renal Pelvis	11	36.5	(17.8, 66.4)	25.5	(22.7, 28.5)	1.4

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.14: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Anchorage and Mat-Su Tribal Health Region, men and women, 2004–2018.

Table 7.14: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Anchorage and Mat-Su Tribal Health Region, men and women, 2004–2018.

	Anchorage and Mat-Su			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>1,900</b>	<b>561.4</b>	<b>(533.5, 590.5)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.1</b>
Breast (women)	333	156.5	(139.1, 175.4)	135.4	(126.8, 144.5)	1.2
Lung and Bronchus	300	98.8	( 86.8, 112.0)	89.7	( 84.0, 95.7)	1.1
Colon and Rectum	263	84.2	( 73.2, 96.5)	88.9	( 83.4, 94.7)	0.9
Prostate (men)	92	83.4	( 64.2, 106.6)	63.0	( 55.9, 70.7)	1.3
Kidney and Renal Pelvis	89	23.8	( 18.8, 29.6)	25.5	( 22.7, 28.5)	0.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.15: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Arctic Slope Tribal Health Region, men and women, 2004–2018.

Table 7.15: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Arctic Slope Tribal Health Region, men and women, 2004–2018.

	Arctic Slope			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>302</b>	<b>592.6</b>	<b>(523.3, 668.5)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.2</b>
Lung and Bronchus	75	167.1	(129.7, 211.9)	89.7	( 84.0, 95.7)	1.9
Colon and Rectum	71	144.2	(110.9, 184.3)	88.9	( 83.4, 94.7)	1.6
Breast (women)	22	76.7	( 47.7, 116.8)	135.4	(126.8, 144.5)	0.6
Prostate (men)	14	52.9	( 26.8, 93.9)	63.0	( 55.9, 70.7)	0.8
Stomach	23	45.2	( 27.8, 69.4)	20.2	( 17.7, 23.0)	2.2

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.16: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Bristol Bay Tribal Health Region, men and women, 2004–2018.

Table 7.16: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Bristol Bay Tribal Health Region, men and women, 2004–2018.

	Bristol Bay			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>273</b>	<b>441.5</b>	<b>(388.2, 500.1)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>0.9</b>
Breast (women)	34	101.1	(69.0, 143.0)	135.4	(126.8, 144.5)	0.7
Colon and Rectum	57	91.8	(68.6, 120.5)	88.9	(83.4, 94.7)	1.0
Lung and Bronchus	49	83.5	(61.0, 111.7)	89.7	(84.0, 95.7)	0.9
Prostate (men)	12	38.5	(19.3, 68.6)	63.0	(55.9, 70.7)	0.6
Urinary Bladder	13	23.7	(12.1, 41.7)	13.3	(11.2, 15.8)	1.8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.17: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Copper River and Prince William Sound Tribal Health Region, men and women, 2004–2018.

Table 7.17: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Copper River and Prince William Sound Tribal Health Region, men and women, 2004–2018.

	Copper River and Prince William Sound			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>100</b>	<b>544.1</b>	<b>(437.8, 668.4)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.1</b>
Breast (women)	18	185.1	(106.4, 299.1)	135.4	(126.8, 144.5)	1.4
Lung and Bronchus	19	122.1	( 72.2, 193.4)	89.7	( 84.0, 95.7)	1.4
Colon and Rectum	20	116.4	( 69.0, 183.8)	88.9	( 83.4, 94.7)	1.3
Prostate (men)	7	72.8	( 26.6, 159.1)	63.0	( 55.9, 70.7)	1.2
Ovary (women)	-	-	-	11.1	( 8.7, 14.0)	-

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.18: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Interior Tribal Health Region, men and women, 2004–2018.

Table 7.18: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Interior Tribal Health Region, men and women, 2004–2018.

	Count	Interior		Alaska		RR
		Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>893</b>	<b>565.7</b>	<b>(527.3, 606.2)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.1</b>
Breast (women)	163	188.8	(160.0, 221.3)	135.4	(126.8, 144.5)	1.4
Colon and Rectum	161	101.7	( 85.9, 119.6)	88.9	( 83.4, 94.7)	1.1
Lung and Bronchus	123	87.4	( 71.9, 105.3)	89.7	( 84.0, 95.7)	1.0
Prostate (men)	51	70.1	( 51.1, 93.7)	63.0	( 55.9, 70.7)	1.1
Kidney and Renal Pelvis	59	35.8	( 26.9, 46.7)	25.5	( 22.7, 28.5)	1.4

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.19: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Kenai Peninsula Tribal Health Region, men and women, 2004–2018.

Table 7.19: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Kenai Peninsula Tribal Health Region, men and women, 2004–2018.

	Kenai Peninsula			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>288</b>	<b>531.6</b>	<b>(463.2, 607.4)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.1</b>
Breast (women)	40	124.9	(87.1, 173.6)	135.4	(126.8, 144.5)	0.9
Lung and Bronchus	53	116.9	(84.0, 158.4)	89.7	(84.0, 95.7)	1.3
Prostate (men)	11	65.4	(22.1, 149.3)	63.0	(55.9, 70.7)	1.0
Colon and Rectum	31	63.5	(40.5, 94.8)	88.9	(83.4, 94.7)	0.7
Kidney and Renal Pelvis	14	22.0	(10.9, 39.5)	25.5	(22.7, 28.5)	0.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.20: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Kodiak Area Tribal Health Region, men and women, 2004–2018.

Table 7.20: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Kodiak Area Tribal Health Region, men and women, 2004–2018.

	Kodiak Area			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>136</b>	<b>552.2</b>	<b>(460.1, 657.3)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.1</b>
Prostate (men)	16	142.0	(77.3, 239.0)	63.0	(55.9, 70.7)	2.3
Breast (women)	14	99.8	(53.8, 169.2)	135.4	(126.8, 144.5)	0.7
Lung and Bronchus	22	91.5	(56.2, 140.7)	89.7	(84.0, 95.7)	1.0
Colon and Rectum	16	66.2	(37.1, 108.9)	88.9	(83.4, 94.7)	0.7
Pancreas	8	28.6	(12.0, 57.2)	16.6	(14.2, 19.3)	1.7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.21: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Northwest Arctic Tribal Health Region, men and women, 2004–2018.

Table 7.21: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Northwest Arctic Tribal Health Region, men and women, 2004–2018.

	Northwest Arctic			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>270</b>	<b>427.1</b>	<b>(376.4, 482.7)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>0.8</b>
Colon and Rectum	63	106.6	(81.4, 137.2)	88.9	(83.4, 94.7)	1.2
Lung and Bronchus	42	71.8	(51.4, 97.6)	89.7	(84.0, 95.7)	0.8
Breast (women)	20	65.7	(40.0, 101.8)	135.4	(126.8, 144.5)	0.5
Stomach	31	45.7	(30.8, 65.3)	20.2	(17.7, 23.0)	2.3
Prostate (men)	10	35.8	(16.3, 68.0)	63.0	(55.9, 70.7)	0.6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.22: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Norton Sound Tribal Health Region, men and women, 2004–2018.

Table 7.22: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Norton Sound Tribal Health Region, men and women, 2004–2018.

	Norton Sound			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>371</b>	<b>485.9</b>	<b>(434.3, 541.8)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.0</b>
Breast (women)	46	117.5	(84.9, 158.4)	135.4	(126.8, 144.5)	0.9
Lung and Bronchus	77	110.1	(85.4, 139.6)	89.7	(84.0, 95.7)	1.2
Colon and Rectum	75	103.2	(79.5, 131.6)	88.9	(83.4, 94.7)	1.2
Prostate (men)	10	31.2	(14.0, 60.1)	63.0	(55.9, 70.7)	0.5
Stomach	19	25.8	(15.1, 41.1)	20.2	(17.7, 23.0)	1.3

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.  
See section A.2 on page 171 for information regarding statistical methods.




Figure 7.23: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Southeast Tribal Health Region, men and women, 2004–2018.

Table 7.23: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Southeast Tribal Health Region, men and women, 2004–2018.

	Southeast			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>972</b>	<b>500.6</b>	<b>(468.7, 534.2)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>1.0</b>
Breast (women)	190	186.4	(160.3, 215.4)	135.4	(126.8, 144.5)	1.4
Prostate (men)	83	85.5	( 67.0, 107.6)	63.0	( 55.9, 70.7)	1.4
Lung and Bronchus	124	68.4	( 56.6, 82.0)	89.7	( 84.0, 95.7)	0.8
Colon and Rectum	110	56.9	( 46.5, 69.0)	88.9	( 83.4, 94.7)	0.6
Kidney and Renal Pelvis	52	26.7	( 19.7, 35.3)	25.5	( 22.7, 28.5)	1.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.




Figure 7.24: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Yukon-Kuskokwim Tribal Health Region, men and women, 2004–2018.

Table 7.24: Average annual age-adjusted cancer incidence by site for the top 5 sites in the Yukon-Kuskokwim Tribal Health Region, men and women, 2004–2018.

	Yukon-Kuskokwim			Alaska		RR
	Count	Rate	95% CI	Rate	95% CI	
<b>All sites</b>	<b>772</b>	<b>395.3</b>	<b>(365.7, 426.6)</b>	<b>505.3</b>	<b>(492.2, 518.6)</b>	<b>0.8</b>
Colon and Rectum	204	106.3	(91.4, 123.0)	88.9	(83.4, 94.7)	1.2
Lung and Bronchus	111	68.8	(56.0, 83.8)	89.7	(84.0, 95.7)	0.8
Breast (women)	67	60.2	(46.4, 77.0)	135.4	(126.8, 144.5)	0.4
Prostate (men)	32	34.5	(22.6, 50.5)	63.0	(55.9, 70.7)	0.5
Stomach	53	25.5	(18.6, 34.0)	20.2	(17.7, 23.0)	1.3

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

See section A.2 on page 171 for information regarding statistical methods.