Section 3 | Incidence | By Stage

Five-Year Incidence, By Race & Stage at Diagnosis

Five-Year Incidence, 2019-2023 | All Sites, By Race & Stage at Diagnosis

Total	Alaska Native People			US White People			
Stage	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Localized	1,123	212.2	(199.1, 225.2)	263,630	211.4	(210.6, 212.2)	1.0
Regional	626	117.0	(107.4, 126.7)	96,918	78.9	(78.4, 79.4)	1.5
Distant	827	162.9	(151.1, 174.7)	123,813	98.7	(98.2, 99.3)	1.7
Unknown/NA	122	28.9	(23.4, 34.4)	25,892	20.8	(20.6, 21.1)	1.4

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, 2019-2023 | All Sites, By Race & Stage at Diagnosis

Female	Alaska Native People			US White People			
Stage	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Localized	673	247.5	(228.2, 266.8)	126,823	203.2	(202.1, 204.4)	1.2
Regional	359	129.7	(115.8, 143.5)	48,952	79.7	(79, 80.5)	1.6
Distant	367	137.0	(122.5, 151.6)	55,764	84.5	(83.7, 85.2)	1.6
Unknown/NA	61	25.2	(18.6, 31.8)	11,982	17.7	(17.3, 18)	1.4

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, 2019-2023 | All Sites, By Race & Stage at Diagnosis

Male	Alaska Native People			US White People			
Stage	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Localized	450	182.8	(163.8, 201.8)	136,807	225.5	(224.3, 226.8)	0.8
Regional	267	107.1	(92.7, 121.6)	47,966	79.3	(78.6, 80.1)	1.4
Distant	460	196.4	(176.1, 216.7)	68,049	116.5	(115.6, 117.4)	1.7
Unknown/NA	61	35.7	(25.4, 45.9)	13,910	24.9	(24.4, 25.3)	1.4

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Age-Adjusted Incidence, 2019-2023
By Top Sites, Sex, Race & Stage at Diagnosis



Data Sources: ANTR Analysis Database, Nov 2025 Sub (Alaska Native People) &
SEER Research Plus, Nov 2025 Sub (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, By Top Sites, Race & Stage

Localized Stage

Five-Year Incidence, Localized Stage, 2019-2023 | Top Sites, By Race							
Total	**Alaska Native People**			**US White People**			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Breast (Female)	287	104.5	(92, 117)	53,083	84.4	(83.6, 85.1)	1.2
Prostate (Male)	117	44.6	(35.8, 53.4)	52,841	80.5	(79.8, 81.2)	0.6
Colon and Rectum	141	29.3	(24.2, 34.4)	12,518	10.5	(10.3, 10.7)	2.8
Kidney and Renal Pelvis	116	21.6	(17.5, 25.7)	11,389	9.2	(9.1, 9.4)	2.3
Lung and Bronchus	85	17.1	(13.2, 20.9)	16,719	12.8	(12.6, 13)	1.3
Corpus Uteri (Female)	46	16.0	(11.2, 20.7)	11,032	16.7	(16.4, 17)	1.0
Thyroid	45	8.4	(5.9, 11)	8,428	7.9	(7.7, 8.1)	1.1

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Localized Stage, 2019-2023 | Top Sites, By Race

Female	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Breast	287	104.5	(92, 117)	53,083	84.4	(83.6, 85.1)	1.2
Colon and Rectum	72	27.8	(21.2, 34.5)	5,864	9.4	(9.2, 9.7)	3.0
Kidney and Renal Pelvis	49	18.1	(12.9, 23.4)	3,999	6.4	(6.2, 6.6)	2.8
Lung and Bronchus	48	17.6	(12.5, 22.8)	9,359	13.5	(13.2, 13.7)	1.3
Corpus Uteri	46	16.0	(11.2, 20.7)	11,032	16.7	(16.4, 17)	1.0
Thyroid	37	14.0	(9.4, 18.6)	6,077	11.7	(11.4, 12.1)	1.2
Cervix Uteri	15	5.8	(2.8, 8.8)	997	2.1	(2, 2.3)	2.8

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Localized Stage, 2019-2023 | Top Sites, By Race

Male	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Prostate	117	44.6	(35.8, 53.4)	52,841	80.5	(79.8, 81.2)	0.6
Colon and Rectum	69	31.6	(23.1, 40)	6,654	11.6	(11.3, 11.9)	2.7
Kidney and Renal Pelvis	67	26.1	(19.2, 32.9)	7,390	12.4	(12.1, 12.7)	2.1
Lung and Bronchus	37	17.6	(11.1, 24.1)	7,360	12.3	(12, 12.6)	1.4
Liver	23	7.6	(4.3, 10.8)	2,185	3.4	(3.3, 3.6)	2.2
Stomach	18	7.4	(3.8, 11)	1,280	2.2	(2.1, 2.3)	3.4
Testis	20	6.2	(3.4, 9)	1,983	4.1	(4, 4.3)	1.5

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Localized Stage, 2019-2023
By Top Sites, Sex & Race



Data Sources: ANTR Analysis Database, Nov 2025 Sub (Alaska Native People) &
SEER Research Plus, Nov 2025 Sub (US White People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Regional Stage

Five-Year Incidence, Regional Stage, 2019-2023 | Top Sites, By Race							
Total	**Alaska Native People**			**US White People**			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Breast (Female)	112	41.7	(33.7, 49.7)	17,589	30.1	(29.6, 30.6)	1.4
Colon and Rectum	125	24.5	(19.9, 29.1)	13,287	11.2	(11, 11.4)	2.2
Lung and Bronchus	71	14.3	(10.7, 17.8)	10,271	7.8	(7.6, 7.9)	1.8
Prostate (Male)	36	14.0	(8.9, 19.1)	10,120	15.1	(14.8, 15.4)	0.9
Cervix Uteri (Female)	14	5.4	(2.5, 8.3)	859	1.6	(1.5, 1.7)	3.4
Stomach	27	5.1	(3.1, 7.1)	1,097	0.9	(0.8, 0.9)	5.7
Kidney and Renal Pelvis	24	4.3	(2.5, 6.1)	3,145	2.5	(2.4, 2.6)	1.7

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Regional Stage, 2019-2023 | Top Sites, By Race

Female	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Breast	112	41.7	(33.7, 49.7)	17,589	30.1	(29.6, 30.6)	1.4
Colon and Rectum	69	25.6	(19.3, 31.9)	6,208	9.9	(9.7, 10.2)	2.6
Lung and Bronchus	37	13.6	(9, 18.1)	5,136	7.4	(7.2, 7.6)	1.8
Cervix Uteri	14	5.4	(2.5, 8.3)	859	1.6	(1.5, 1.7)	3.4
Thyroid	14	5.0	(2.3, 7.7)	2,164	4.3	(4.1, 4.5)	1.2
Stomach	13	4.5	(2, 6.9)	286	0.4	(0.4, 0.5)	11.2
Kidney and Renal Pelvis	11	3.5	(1.4, 5.6)	1,044	1.6	(1.5, 1.7)	2.2

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Regional Stage, 2019-2023 | Top Sites, By Race

Male	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Colon and Rectum	56	23.5	(16.5, 30.4)	7,079	12.5	(12.2, 12.8)	1.9
Lung and Bronchus	34	16.7	(10, 23.5)	5,135	8.3	(8.1, 8.6)	2.0
Prostate	36	14.0	(8.9, 19.1)	10,120	15.1	(14.8, 15.4)	0.9
Stomach	14	6.0	(2.7, 9.3)	811	1.4	(1.3, 1.4)	4.3
Kidney and Renal Pelvis	13	5.7	(2.1, 9.3)	2,101	3.5	(3.3, 3.6)	1.6
Liver	13	5.3	(1.9, 8.6)	1,150	1.8	(1.7, 1.9)	2.9
Esophagus	15	4.8	(2.3, 7.3)	1,278	2.1	(2, 2.2)	2.3

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Regional Stage, 2019-2023
By Top Sites, Sex & Race



Data Sources: ANTR Analysis Database, Nov 2025 Sub (Alaska Native People) &
SEER Research Plus, Nov 2025 Sub (US White People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Distant Stage

Five-Year Incidence, Distant Stage, 2019-2023 | Top Sites, By Race							
Total	Alaska Native People			US White People			
Site	Count	Rate	95% CI	Count	Rate	95% CI	RR
Lung and Bronchus	215	43.4	(37.2, 49.6)	23,549	18.1	(17.8, 18.3)	2.4
Colon and Rectum	103	20.5	(16.3, 24.7)	8,021	6.7	(6.5, 6.8)	3.1
Prostate (Male)	34	18.0	(11.1, 24.9)	7,102	12.3	(12, 12.6)	1.5
Miscellaneous	49	10.5	(7.4, 13.5)	10,910	8.9	(8.7, 9)	1.2
Breast (Female)	29	9.8	(6.1, 13.5)	4,015	6.4	(6.2, 6.6)	1.5
Stomach	51	9.0	(6.4, 11.6)	1,953	1.5	(1.5, 1.6)	6.0
Pancreas	37	7.3	(4.8, 9.7)	7,450	5.8	(5.7, 5.9)	1.3

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Distant Stage, 2019-2023 | Top Sites, By Race

Female	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Lung and Bronchus	109	41.8	(33.7, 50)	11,714	16.9	(16.6, 17.2)	2.5
Colon and Rectum	37	14.8	(9.9, 19.7)	3,739	5.9	(5.7, 6.1)	2.5
Miscellaneous	24	9.8	(5.8, 13.9)	4,844	7.4	(7.2, 7.6)	1.3
Breast	29	9.8	(6.1, 13.5)	4,015	6.4	(6.2, 6.6)	1.5
Non-Hodgkin - Nodal	19	6.9	(3.7, 10.1)	3,739	5.7	(5.5, 5.8)	1.2
Pancreas	15	5.4	(2.6, 8.2)	3,391	4.9	(4.8, 5.1)	1.1
Stomach	15	4.8	(2.3, 7.3)	614	0.9	(0.9, 1)	5.3

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Distant Stage, 2019-2023 | Top Sites, By Race

Male	Alaska Native People			US White People			
Site	**Count**	**Rate**	**95% CI**	**Count**	**Rate**	**95% CI**	**RR**
Lung and Bronchus	106	46.8	(36.4, 57.1)	11,835	19.6	(19.2, 19.9)	2.4
Colon and Rectum	66	26.6	(19.7, 33.6)	4,282	7.5	(7.3, 7.7)	3.5
Prostate	34	18.0	(11.1, 24.9)	7,102	12.3	(12, 12.6)	1.5
Stomach	36	13.7	(8.8, 18.7)	1,339	2.2	(2.1, 2.3)	6.2
Miscellaneous	25	11.2	(6.6, 15.8)	6,066	10.8	(10.5, 11.1)	1.0
Pancreas	22	9.3	(5.2, 13.4)	4,059	6.8	(6.6, 7)	1.4
Non-Hodgkin - Nodal	16	6.2	(3, 9.4)	5,310	9.1	(8.9, 9.4)	0.7

Data Sources: ANTR ADB, 2025 (Alaska Native People) | SEER RPD, 2025 (US White People)
Rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Five-Year Incidence, Distant Stage, 2019-2023
By Top Sites, Sex & Race



Data Sources: ANTR Analysis Database, Nov 2025 Sub (Alaska Native People) &
SEER Research Plus, Nov 2025 Sub (US White People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard

Ten-Year Incidence, Alaska Native People Screenable-Sites, By Stage & Time Period

Screenable-sites include: Colon and Rectum, Breast (Female), Lung and Bronchus, Prostate (Male), and Cervix Uteri (Female).

Colon and Rectum



Data Sources: Alaska Native Tumor Registry (Alaska Native People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard
Counts <5 and rates calculated from counts <5 are suppressed

Breast (Female)



Data Sources: Alaska Native Tumor Registry (Alaska Native People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard
Counts <5 and rates calculated from counts <5 are suppressed

Lung and Bronchus



Data Sources: Alaska Native Tumor Registry (Alaska Native People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard
Counts <5 and rates calculated from counts <5 are suppressed

Prostate (Male)



Data Sources: Alaska Native Tumor Registry (Alaska Native People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard
Counts <5 and rates calculated from counts <5 are suppressed

Cervix Uteri (Female)



Data Sources: Alaska Native Tumor Registry (Alaska Native People)
Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard
Counts <5 and rates calculated from counts <5 are suppressed